



Bid Number/बोली क्रमांक (बिड संख्या)[:] GEM/2024/B/5163612 Dated/दिनांक : 22-07-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण		
Bid End Date/Time/बिड बंद होने की तारीख/समय	12-08-2024 11:00:00	
Bid Opening Date/Time/बिड खुलने की तारीख/समय	12-08-2024 11:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)	
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Health And Family Welfare	
Department Name/विभाग का नाम	Department Of Health And Family Welfare	
Organisation Name/संगठन का नाम	All India Institute Of Medical Sciences (aiims)	
Office Name/कार्यालय का नाम	Aiims, New Delhi	
Total Quantity/कुल मात्र	55	
ltem Category/मद केटेगरी	Almirah Steel (V2) (Q3) , Metal Shelving Racks as per IS 1883 (Q3) , Executive Table (V2) (Q3)	
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/	Yes	
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/	Yes	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer	
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes	
RA Qualification Rule	H1-Highest Priced Bid Elimination	
Type of Bid/बिड का प्रकार	Two Packet Bid	
Primary product category	Metal Shelving Racks as per IS 1883	
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days	
Inspection Required (By Empanelled Inspection Authority / Agencies pre- registered with GeM)	No	
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/	

EMD Detail/ईएमडी विवरण

	1
Required/आवश्यकता	Νο

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता

No

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता No

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता

Yes

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of guality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of auality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria. the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer. 3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	Almirah Steel (v2)	12
Schedule 2	Metal Shelving Racks As Per Is 1883	26
Schedule 3	Executive Table (v2)	17

Almirah Steel (V2) (12 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य		
Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)		
Type of Almirah steel	Almirah Steel shelving cabinets, Almirah Steel wardrobe(having cloth hanging provision), Almirah Steel shelving cabinet with partial wardrobe, Almirah Steel with Glass door		
Number of door	1, 2		
Number of drawers required	1, 2, 3, 4, 5, No Drawer		
Number of shelves	1, 2, 3, 4, 5, No Shelves		
Colour of finish	Silver Grey, Olive Green, Prince Grey, Dark Maroon, Purple, Blue, Black, White, Off white, Ash Grey, Dark grey, Brown, As per Buyer's Requirement (to be indicated during bid creation)		
	नाम Technical specification of Almirah steel Type of Almirah steel Number of door Number of drawers required Number of shelves		

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	Steel sheet material	Mild steel sheets conforming to grade HR1 of IS 1079:2009 (with latest amendment), CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment), Tempered glass sheet fixed in the MS sheet frame
	Sheet rounds and flats	Conforming to grade E250 of IS 2062, N.A
DIMENSION	Almirah height(excluding the height of pedestal) ± 5 mm	700 mm, 750 mm, 850 mm, 865 mm, 1000 mm, 1050 mm, 1150 mm, 1155 mm, 1175 mm, 1192 mm, 1200 mm, 1250 mm, 1270 mm, 1325 mm, 1450 mm, 1800 mm, 1825 mm, 1830 mm, 1855 mm, 1938 mm, 1950 mm, 1980 mm, 710 mm, 1165 mm, 2000 mm
	Almirah width ± 5 mm	470 mm, 760 mm, 900 mm, 910 mm, 920 mm, 800 mm, 850 mm, 950 mm, 1000 mm, 1200 mm, 765 mn
	Almirah depth ± 5 mm	302 mm, 430 mm, 480 mm, 490 mm, 505 mm, 440 mm, 450 mm, 470 mm
	Side sheet thickness	0.8 mm, 0.9 mm, 1 mm
	Back sheet thickness	0.8 mm, 0.9 mm, 1 mm
	Top sheet thickness	0.8 mm, 0.9 mm, 1 mm
	Bottom sheet thickness	0.8 mm, 0.9 mm, 1 mm
	Shelves sheet thickness	0.6 mm, 0.7 mm, 0.8 mm, 0.9 mm
	Shelves supporting bracket thickness	1.6 mm, N.A, 2 mm
	Hinges sheet thickness	1.25 mm(double folded), 1.6 mm, 2 mm
	Hanging rod wall thickness	1.0 mm, 1.6 mm, N.A
	Mirror frame sheet thickness	0.8 mm, N.A
	Mirror frame border width	25 mm, N.A
	Width of stiffener	115 mm, 140 mm, N.A, 95 mm, 130 mm
	Stiffener sheet thickness	0.6 mm, 0.7 mm, 0.8 mm, N.A
	Number of glass sheet fixed	2, 4, 6, N.A
	Handle size	12 cm, 15 cm, 10.5 cm, 10.7 cm, 11.75 cm, 12.6 cm
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Six lever lock, Active Pin System, Pin Tumbler lock, Cam lock with lock lever, Three Lever Lock
	Material of lock	MAZAK Zinc plated, Brass and Steel finish, Steel, Steel with zinc plated, Finish having brass levers and MAZAK/ZAMAK bolt having Zinc plated finish along with MAZAK/ZAMAK hable, Zinc Alloy
FINISH	Finish coat with enamels	Conforming to IS:151, Conforming to IS : 2932 (Part 1), Conforming to IS 2933 (Part 1), Stoving enamel, N.A
	Powder coating	Conforming to IS: 13871, With 50 micron thickness minimum, N.A

Additional Specification Parameters - Almirah Steel (V2) (12 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)	
Additional Technical Parameter	The technical evaluation of the bids will be done on the basis of the technical specifications given in "Annexure I" of the "Buyer Added Bid Specific ATC", which will prevail over the above-stated technical requirement. Bidders are required to quote for the products meeting the technical specifications given in "Buyer Added Bid Specific ATC". Products that do not meet the technical specifications as provided in "Annexure I" of the Buyer Added Bid Specific ATC will be rejected.	

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lalit	110029,AIIMS, New Delhi, Ansari Nagar	12	15

Metal Shelving Racks As Per IS 1883 (26 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Туре	OPEN TYPE, CLOSED FROM SIDES ONLY, CLOSED FROM SIDES AND BACK, CLOSED FROM BACK ONLY
	Number of Shelves/Compartments (Top / Ceiling Shelf - not to be counted)	3, 4, 5, 6, 7, 8, 9, 10, 1, 2, 12, 14

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	Shelves Material	0.8 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513, 1.0 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513, 1.2 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513, 20 mm thick MDF Board of grade SBG II conforming to IS 12406 laminated with minimum 0.6 mm thick on Top side of type S, P or F having index 3.2.3 conforming to IS 2046 and minimum 0.5 mm thick balancing laminate on the other side, 25 mm thick MDF Board of grade SBG II conforming to IS 12406 laminated with minimum 0.6 mm thick on Top side of type S, P or F having index 3.2.3 conforming to IS 2046 and minimum 0.5 mm thick balancing laminate on the other side, 18 mm thick prelaminated Particle Board, Plywood Board 20 mm Thick, 0.9 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513, MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513, 2 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513
DIMENSION	Depth in mm (±5 mm)	300, 400, 500, 600, 450, 610, 380, 460, 990, 800, 1000, 1200
	Width in mm (±5 mm)	700, 800, 900, 1000, 915, 1300, 1375, 1800 mm (with suitable support), 2000 mm (with suitable support), 2200 mm (with suitable support), 1250, 1220, 600, 300
	Height in mm (±5 mm)	975, 1275, 1575, 1875, 2175, 2475, 2775, 3075, 1905, 1830, 2440, 3050, 2280, 1800, 1985, 2000, 2200, 2500, 2700, 3000, 3300 mm (with suitable support), 3500 mm (with suitable support), 4000 mm (with suitable support), 600, 3352, 1980
MISC	Paint	Stove enameled, Powder coated, Grey Enameled, Powder coated with Lead Free Paint, High Quality Oil Paint
WARRANTY	Warranty in number of years	1, 2, 3, 4, 5

Additional Specification Parameters - Metal Shelving Racks As Per IS 1883 (26 pieces)

Specification Parameter Name

Bid Requirement (Allowed Values)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Technical Parameter	The technical evaluation of the bids will be done on the basis of the technical specifications given in "Annexure II" of the "Buyer Added Bid Specific ATC", which will prevail over the above-stated technical requirement. Bidders are required to quote for the products meeting the technical specifications given in "Buyer Added Bid Specific ATC". Products that do not meet the technical specifications as provided in "Annexure II" of the Buyer Added Bid Specific ATC will be rejected.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lalit	110029,AIIMS, New Delhi, Ansari Nagar	26	45

Executive Table (V2) (17 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Two legs with modesty panel, Four legs with modesty panel, Two legs with Gable end and modesty panel, Gable end and modesty panel, Two leg at one side and other side supported on ERU/Side storage combo with modesty Panel, Top supported by storage unit(pedestal / ERU or both)
	The type of Storage provided	One side pedestal unit, Both side pedestal unit, One side pedestal unit and E.R.U, One side E.R.U unit
	Keyboard tray	Provided, Not provided
	Footrest	Provided, Not Provided
MATERIAL Tabletop Material		MDF board of grade SBG II of IS 12406/Latest, Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Prelaminated MDF board, Plywood Conforming to IS 303, Teak wood, Glass
	Thickness of table top material (± 1 mm)	15 mm, 17 mm, 18 mm, 19 mm, 25 mm, 36 mm, 50 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
Gable end material		Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest, Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercia Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Perforated MS sheet, Plywood Conforming to IS 303, MDF and veneer with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, MDF batons wit natural veneer, NA	
	The thickness of the gable end	0.9 mm (for metal sheet), 1 mm (for metal sheet), 1 mm (for metal sheet), 15 mm, 18 mm, 19 mm, 25 mm, 36 mm, 60 mm, NA	
	Modesty panel material	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest, Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest, Commercial Block Board BWP grade Conforming to II 1659, Decorative Block Board BWP grade Conformin to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Teak wood, Perforated MS sheet, Plywood Conforming to IS 303, Particleboard with veneer face coated with clear lacquer, Prelaminated MDF board (with all exposed edges sealed with 2mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200 degrees C with hot mel glue)	
	The thickness of the modesty panel material	0.9 mm (for metal sheet), 1 mm (for metal sheet), 1 mm (for metal sheet), 15 mm, 18 mm, 19 mm, 25 mm, 36 mm, 60 mm	
	Leg Material	Teak wood, Carved teak wood, Seasoned Sheesham Mild Steel (MS) ERW, GI pipe, SS 304, SS 202, CRC square pipe with powder coated finish as per approved shade, NA	
	The thickness of the Leg material	0.5 mm, 0.8 mm, 0.9 mm, 1 mm, 1.2 mm, 1.4 mm, NA	
DIMENSION	Width of tabletop ±10 mm	900 mm, 1000 mm, 1050 mm, 1100 mm, 1200 mm, 1280 mm, 1300 mm, 1350 mm, 1375 mm, 1500 mm 1550 mm, 1650 mm, 1800 mm, 1850 mm, 1950 mm 2000 mm, 2100 mm, 2200 mm, 2300 mm, 2400 mm 3300 mm	
	Depth of table ±10 mm	600 mm, 620 mm, 650 mm, 700 mm, 725 mm, 750 mm, 800 mm, 850 mm, 900 mm, 915 mm, 950 mm, 1050 mm, 1100 mm, 1200 mm, 1300 mm, 1350 mm 1400 mm, 1500 mm, 1600 mm, 1650 mm	
	Height of table ±10 mm	750 mm, 760 mm, 775 mm, 800 mm	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Size (L x W) /diameter of leg material ± 5 mm	25 x 25 (mm), 30 x 30 (mm), 40 x 40 (mm), 20 x 40 (mm), 25 x 40 (mm), 20 x 60 (mm), 60 x 30 (mm), 25 mm, 30 mm, 35 mm, 40 mm, 45 mm, 50 mm, 55 mm, 60 mm, NA	
EXTENDED RETURN UNIT	ERU unit consists of	1 drawer, 2 drawers, 3 drawers, 4 drawers, 1 storage unit with shutter, 2 storage units with shutter, 1 storage unit without shutter, No ERU	
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	One drawer, Two drawers, Three drawers, Four drawers, One storage, Two storage, No Pedestal unit	
COLOUR AND FINISH	R AND FINISHTable top finishLaminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balan laminate of 0.5mm thick on another side, Lamin color with matt finish 0.6-0.8mm thickness of ty F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of thick on another side, Paint, Teak laminate/ply polish, Teak laminate/ply with melamine finish, mica lamination, Teak Veneer/teak wood with melamine polish (walnut), 3/3.5 mm thick vene finish a per buyer choice, Minimum 0.8 to 1 mm membrane finish, NA		
	Tabletop shade	Peach, Teak, Oak, Gray, Oxford cherry, Dark walnut, Frosty white, Teak Veneer/teak wood with melamine polish (walnut), Natural Shade, White, As per Buyer's choice, NA	
	Table /ERU /Pedestal Panel Plain Side	All exposed edges sealed with 2 mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200 degrees C with hot melt glue, Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue, CP Teak Wood Lipping, NA	
WARRANTY	Warranty period	1 Year, 2 Years, 3 Years, 4 Years, 5 Years	
CERTIFICATION	Test reports to be furnished to the buyer on demand	Yes, No	

Additional Specification Parameters - Executive Table (V2) (17 pieces)

Specification Parameter Name Bid Requirement (Allowed Values)

Specification Parameter Name	Bid Requirement (Allowed Values)	
Additional Technical Parameter	The technical evaluation of the bids will be done on the basis of the technical specifications given in "Annexure VIII" of the "Buyer Added Bid Specific ATC", which will prevail over the above-stated technical requirement. Bidders are required to quote for the products meeting the technical specifications given in "Buyer Added Bid Specific ATC". Products that do not meet the technical specifications as provided in "Annexure VIII" of the Buyer Added Bid Specific ATC will be rejected.	

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lalit	110029,AIIMS, New Delhi, Ansari Nagar	17	45

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्त

1. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 50% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

3. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

4. Warranty

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

5. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश के विडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश को विडर हम विविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर का इसका अनुपालन करना होगा और कोई भी गलत समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---