

**CARDIO THORACIC & NEURO SCIENCES CENTRE
ALL INDIA INSTITUTE OF MEDICAL SCIENCES-29
TENDER/RATE ENQUIRY**

Dated: 02.03.2017

R.E. NO. 74/CNC/NP/2016-2017/ST.

NAME OF THE FIRM _____

THE ASSTT. STORES OFFICER, ROOM NO. 17, 1ST Floor, Nurses Hostel (Near New Private Ward), A.I.I.M.S., Ansari Nagar, New Delhi-110029.

LAST DATE OF SUBMISSION : 16.03.2017 AT 11.00 A.M.

DATE OF TECH. BID OPENING : 16.03.2017 AT 2.30 P.M.

SEAL OF THE OFFICER

Dear Sir,

1 I/We hereby submit our sealed quotation along with sample for the purchase of:

2. All the terms and condition such as taxes etc. has been indicated in the schedule failing which it may be presumed that the rates are inclusive of all taxes and other terms and conditions are also as per your terms and conditions are also as your requirements.

3. I/We have deposited security of Rs. 5000/- in favour of A.I.I.M.S., CNC A/C NEW DELHI

THE FIRM SHOULD SUBMIT COPY OF FOLLOWING CERTIFICATE ALONG WITH SEALED QUOTATION.

- a. A proof of ownership/partnership etc. shall be submitted along with verification of address, telephone & fax numbers.**
- b. The latest income tax certificate & Scale Tax certificate.**
- c. The firm also required to submit authority letter from manufacturers/principal for supplying item without which tender will not be considered.**
- d. The firm has to give a certificate that the firm has not been blacklisted in the past by any Institution, Government/Private.**
- e. The firm has to give an affidavit on a non-judicial stamp paper that there is no vigilance/CBI case pending against the firm/supplier.**

Contd...2

- f. The firm has to give an affidavit on a non-judicial stamp paper that the firm is not supplying the same item at lower rates quoted in the tender to any government organization or any other institution during past 1 year, as per FALL CLAUSE adhered by DGS & D and other government agencies.
4. I/we hereby agrees to all the terms and conditions, stipulated in the tender document, in this connection including delivery penalty etc. Quotation for the item is being submitted under sealed cover and sheets and be considered on their face value.
5. I/We undertake to sign the rate contract agreement within 10 days from the issue of the letter of acceptance, failing which our/my security deposit may be forfeited and our/my name may be removed from the list of suppliers at the AIIMS.
6. I/We have noted that over writing entries shall be deleted unless duly out/written and initialed.
7. Tender is duly signed (not thumb impression is affixed)
8. If the firm gives a false statement on any of the above information the firm/supplier will not considered and their quotation shall be rejected and the security deposited shall be forfeited.
9. The firm should have been in this business for a period of a least two years in the relation to the type of the type of item for which the quotation are being submitted.
10. The bidder is required to submit bid in two parts viz (a) Technical Bid (Three copies) in one cover (b) Commercial bid (Three copies) in one cover.
11. Sample or relevant literature/original catalogue should be submitted along with the technical bid failing with item would not be considered.
12. This forbidding letter duly signed is returned along with the sealed quotations.

Yours faithfully

Signature of tenderer with

Official rubber stamp and

Full Address.

1. Witness and Address

2. Witness and Address

CARDIO THORACIC & NEURO SCIENCES CENTRE

ALL INDIA INSTITUTE OF MEDICAL SCIENCE-29

RE. NO.74/CNC/NP/2016-2017/ST.

Ansari Nagar, New Delhi

Dated: 02.03.2017

Quotations are invited by post/per bearer for the supply of items detailed below which are required for C.N. Centre, AIIMS.

The quotations should reach this office on or before 16.03.2017 at 11.00 A.M. duly sealed & marked tender/R.E. No. 74/CNC/NP/16-17/ST. due for opening at 2.30 P.M. on 16.03.2017 in the office of Asstt. Stores Officer Room No. 17, 1st Floor, Nurses Hostel (Near New Private Ward), AIIMS, New Delhi. All quotations should be typewritten or in ink. All over writing and erased entries will be deleted from the quotations. The rates should be valid at least for one year.

The tenders are required to deposit security of Rs. 5,000/-through a Demand Draft/Pay order drawn in favour of the AIIMS, CNC, Accounts, New Delhi-29, before submission of the quotations, failing which the same will not be considered. The tenders already having such security deposited are not required to deposit the same again but they will indicate the number and date of the cash receipt by which the firm had deposited the security purchase shall be made at the cost and risk of the contractors, and or liquidated damages will be recovered from them.

The firms have to quote for one best quality only and only sample of the quality should be submitted. The offers submitted as quality A, B, C, & D etc. will be summarily rejected, any alteration in the specification shall not be considered at all.

The quoted items having quality mark such as I.S.I/C.E. mark/ISO9002 Standardization should be mentioned if any.

<u>S.No.</u>	<u>NOMENCLATURE: -</u>	<u>Qty</u>
1	Antibodies	

④

NEUROPATHOLOGY LABORATORY

Serial No	Items	Quantity
1.	IDH-1	1x1 ml
2.	Neu N	1x1 ml
3.	ATRX	1x1 ml
4.	MIB-1	1x1 ml
5.	YAP-1	1x1 ml
6.	GAB-1	1x1 ml
7.	Beta Catenin	1x 1 ml
8.	H3K27	1x 1 ml
9.	P-65	1x 1 ml
10.	BRAF V600E	1x 1 ml
11.	Synaptophysin	1x 1 ml
12.	GH	1x 1 ml
13.	PRL	1x 1 ml
14.	Bcl-2	1x 1 ml

Chitra Sarkar

(Dr. Chitra Sarkar)
Professor
Neuropathology

M.C. Sharma
30/11/16

(DR. M.C. Sharma)
Professor
Neuropathology


Vaishali Suri

(Dr. Vaishali Suri)
Professor
Neuropathology


Neuropathology Laboratory

Specifications for Antibodies


1. The antibodies should be specific and there should be no cross reactivity with other proteins.
2. They should have long shelf life.
3. The antibody should be storable at $2-8^{\circ}\text{C}$ or -20°C .
4. Antibodies should be such that they can be used on formalin fixed paraffin-embedded tissue section and/ or frozen cryostat sections.
5. They should be usable in very high dilution with or without antigen retrieval. If antigen retrieval is required it should be using citrate buffer and microwave.
6. Antigen retrieval using proteolysis enzymes should not be required.
7. Firms are required to submit their quotation as per specification mentioned above all antibodies positively indicating the following points against each antibody. Firms not providing their quotation as per the following four points will not be entertained.
 - A. Recommended dilution range
 - B. Whether antigen retrieval required or not. If required, method of antigen retrieval
 - C. Usability in formalin fixed paraffin embedded tissue and/ or frozen tissues
 - D. Shelf life
8. Firms may be asked to submit a free sample of antibody for testing purposes, if required. If firm fail to supply the antibodies for test purpose they not be considered.
9. Data sheets of the antibodies and comparative statement to the tender specifications must be enclosed along with the reference page no. from the original catalogue of the company.
10. The price should be quoted in Indian rupees only.



Dr. Chitra Srakar
Professor
Neuropathology


30/12/16

Dr. M.C. Sharma
Professor
Neuropathology



Dr. Vaishali Suri
Professor
Neuropathology