



COMPREHENSIVE RURAL HEALTH SERVICES PROJECT  
CENTRE FOR COMMUNITY MEDICINE  
ALL INDIA INSTITUTE OF MEDICAL SCIENCES  
BALLABGARH – 121004 (HR)

Ph. 0129-2241362  
Fax. 0129-2211227

No.F. 7-1/ CRHSP-AIIMS/Ballabgarh-

Dated the: 9<sup>th</sup> May, 2015

To,

The Professor-in-charge,  
Computer Facility,  
AIIMS, New Delhi-29

Subject: Up-loading the short rate enquiry on Institute web-site for purchasing of various items for CRHSP, Ballabgarh, AIIMS.

\*\*\*\*\*

Sir,

Please find enclosed short rate enquiry for up-loading on Institute web-site to invite the quotations to purchase the following items under 'Material & Supply Non-Plan" head for the financial year 2015-16.

The titles of enquiries are as follows:

- i) The sealed quotation are invited by post/per bearer (under two bid system) in two separate sealed covers for the following items required for CRHSP, Ballabgarh:-
  - a) Degradable (Non-Chlorinated) Yellow Bags for incineration.
  - b) Degradable Black Bags,
  - c) Autoclavable & Degradable Blue Bags
  - d) Suspension weighing scale.

The copies of short rate enquiry for uploading on website have been also attached in computer facility email address [conentprovider.aiims@gmail.com](mailto:conentprovider.aiims@gmail.com).

Thanking you,

Yours Sincerely,

Dr. Shashi Kant,  
Professor-in-charge  
CRHS Project, Ballabgarh

डॉ० शशी कान्त / Dr. SHASHI KANT  
प्रभारी आचार्य / Professor Incharge  
व्यापक ग्रामिण स्वास्थ्य योजना, बल्लभगढ़  
C.R.H.S. Project, Ballabgarh  
सामुदायिक चिकित्सा विज्ञान केंद्र  
Centre for Community Medicine  
अभ्यास विभाग / A.I.I.M.S.  
नई दिल्ली / New Delhi-110029



COMPREHENSIVE RURAL HEALTH SERVICES PROJECT  
CENTRE FOR COMMUNITY MEDICINE  
ALL INDIA INSTITUTE OF MEDICAL SCIENCES  
BALLABGARH – 121004 (HR)

Ph. 0129-2241362/ 0129-2211227

S.R.E.No.1/15-16/CRHSP-AIIMS /Ballabgarh-

Dated the: 09<sup>th</sup> May, 2015

For the Purchase of : Degradable (Non-Chlorinated) Yellow Bags for incineration : 500 Kg. each (Big and Small)

\*\*\*\*\*

The seal quotation are invited by post/per bearer (under two bid system) in two separate sealed covers duly marked as "PRICE BID & TECHNICAL BID" (as the case may be) and both packed in other single envelope mentioning name of the quoted item for the supply of item detailed below which are required for CRHS Project, Ballabgarh.

The quotations duly signed and marked as "SRE No.01/CRHSP/Ballabgarh/15-16" (PRICE BID & TECHNICAL BID separately) should reach the office of the Professor In-charge, CRHSP, Ballabgarh on or before 27/05/2015 at 12.00 Noon. All quotations should be type written or written with indelible ink. Over writing and erased entries will not be considered and treated as deleted entries from the quotations. The rates should be valid at least for one year.

The firm has to quote for one best quality. The offers submitted as quality A, B, C, & D etc., will be summarily rejected, any alteration/over writing in the specification/rates shall not be considered at all. The quoted items should be accompanied by the valid degradability certificate from any of the approved laboratories.

The quotations / tenders (technical bid only) will be opened at 2.30 P.M. on 30/01/2015 in the Seminar Room, at CRHSP, Ballabgarh in the presence of the tenderers, whosoever are present.

Note: Firm should submit the sample along with technical bid and firm who fails to submit the sample, their bid will not be considered for technical evaluation.

**SPECIFICATIONS OF THE ITMES:**

Degradable Non-Chlorinated) Yellow Bags for incineration:

Non chlorinated,

Should be with double seam and able to withstand 25kg weight without tearing or giving away for 40"x33" sizes.

Should be with double seam and able to withstand 20kg. weight for 20"x20" Size without tearing or giving away.

Should be leak proof at maximum weight for wet waste.

Should have uniform density and without tears, holes or weak areas.

Should be made up of virgin (non-recycled) plastic, which should be clear, Material composition should be indicated with the supplies & sample.

The minimum number of bags per kg. for the size 40"x33" should be 12 per kg.

The minimum number of bags per Kg. for size: 20"x 20" should be 41 per kg.

INSCRIPTION: Should be Printed in non washable material inscripted in red colour for CRHSP, Ballabgarh Hospital both in English and Hindi as below for regular supplies:

> "Biohazard" & Bio hazard symbol


> "For Hospital use only.

> Danger

> Hospital CRHSP, Ballabgarh, (AIIMS) Supply not for sale.

On each bag the name of manufacturer, the month and year of manufacture and the batch/lot number must be printed (Including in the sample)

Thickness: should be 40-50 micron.

  
PROFESSOR-IN-CHARGE,  
CRHS PROJECT, BALLAGARH

The Firm should submit the following:-

1. Price Reasonable Certificate
2. An undertaking on the official letterhead of the company that the firm has not been black listed.
3. An undertaking on the official letterhead of the company that the firm has not vigilance cast pending against them.



COMPREHENSIVE RURAL HEALTH SERVICES PROJECT  
CENTRE FOR COMMUNITY MEDICINE  
ALL INDIA INSTITUTE OF MEDICAL SCIENCES  
BALLABGARH – 121004 (HR)

Ph. 0129-2241362/ 0129-2211227

S.R.E.No.2/15-16/CRHSP-AIIMS /Ballabgarh-

Dated the: 09<sup>th</sup> May, 2015

For the Purchase of : Degradable Black Bags : 800 Kg. each (Big and Small)

\*\*\*\*\*

The seal quotation are invited by post/per bearer (under two bid system) in two separate sealed covers duly marked as "PRICE BID & TECHNICAL BID" (as the case may be) and both packed in other single envelope mentioning name of the quoted item for the supply of item detailed below which are required for CRHS Project, Ballabgarh.

The quotations duly signed and marked as "SRE No.02/CRHSP/Ballabgarh/15-16" (PRICE BID & TECHNICAL BID separately) should reach the office of the Professor In-charge, CRHSP, Ballabgarh on or before 27/05/2015 at 12.00 Noon. All quotations should be type written or written with indelible ink. Over writing and erased entries will not be considered and treated as deleted entries from the quotations. The rates should be valid at least for one year.

The firm has to quote for one best quality. The offers submitted as quality A, B, C, & D etc., will be summarily rejected, any alteration/over writing in the specification/rates shall not be considered at all. The quoted items should be accompanied by the valid degradability certificate from any of the approved laboratories.

The quotations / tenders (technical bid only) will be opened at 2.30 P.M. on 30/01/2015 in the Seminar Room, at CRHSP, Ballabgarh in the presence of the tenderers, whosoever are present.

Note: Firm should submit the sample along with technical bid and firm who fails to submit the sample, their bid will not be considered for technical evaluation.

**SPECIFICATIONS OF THE ITME:**


**Degradable BLACK Bags:-**

- Should be with double seam and able to withstand 25 kg weight without tearing or giving away for 40"x33" sizes.
- Should be with double seam and able to withstand 20 Kg weight for 20"x20" size without tearing or giving away.
- Should be leak proof at maximum weight for wet waste.
- Should have uniform density and without tears, holes or weak areas.
- Should be made up of virgin (non-recycled) plastic, which should be clear. Material composition should be indicated with the supplies & sample.
- The minimum number of bags per KG for the size 40"x33" should be 12 per kg.
- The minimum number of bags per Kg for size 20"x20" should be 41 per kg.
- Inscription: Should be printed in non washable material inscribed in red colour separately for CRHSP, Ballabgarh Hospital both in English and Hindi as below for regular supplies.

>"Bio-hazard" and Bio hazard symbol,  
>"for Hospital use only".  
>CRHSP, Ballabgarh Hospital (AIIM) supply not for sale.

- One each bag the name of manufacturer, the month and year of manufacture and the batch/lot number must be printed including in the sample)

Thickness : Should be 40-50 micron.

  
PROFESSOR-IN-CHARGE,  
CRHS PROJECT, BALLAGARH

The Firm should submit the following:-

1. Price Reasonable Certificate
2. An undertaking on the official letterhead of the company that the firm has not been black listed.
3. An undertaking on the official letterhead of the company that the firm has not vigilance cast pending against them.



COMPREHENSIVE RURAL HEALTH SERVICES PROJECT  
CENTRE FOR COMMUNITY MEDICINE  
ALL INDIA INSTITUTE OF MEDICAL SCIENCES  
BALLABGARH – 121004 (HR)

Ph. 0129-2241362/ 0129-2211227

S.R.E.No.3/15-16/CRHSP-AIIMS /Ballabgarh-

Dated the: 09<sup>th</sup> May, 2015

For the Purchase of : Autoclavable & Degradable Blue Bags : 500 Kg. each (Big and Small)

\*\*\*\*\*

The seal quotation are invited by post/per bearer (under two bid system) in two separate sealed covers duly marked as "PRICE BID & TECHNICAL BID" (as the case may be) and both packed in other single envelope mentioning name of the quoted item for the supply of item detailed below which are required for CRHS Project, Ballabgarh.

The quotations duly signed and marked as "SRE No.03/CRHSP/Ballabgarh/15-16" (PRICE BID & TECHNICAL BID separately) should reach the office of the Professor In-charge, CRHSP, Ballabgarh on or before 27/05/2015 at 12.00 Noon. All quotations should be type written or written with indelible ink. Over writing and erased entries will not be considered and treated as deleted entries from the quotations. The rates should be valid at least for one year.

The firm has to quote for one best quality. The offers submitted as quality A, B, C, & D etc., will be summarily rejected, any alteration/over writing in the specification/rates shall not be considered at all. The quoted items should be accompanied by the valid degradability certificate from any of the approved laboratories.

The quotations / tenders (technical bid only) will be opened at 2.30 P.M. on 30/01/2015 in the Seminar Room, at CRHSP, Ballabgarh in the presence of the tenderers, whosoever are present.

Note: Firm should submit the sample along with technical bid and firm who fails to submit the sample, their bid will not be considered for technical evaluation.

**SPECIFICATIONS OF THE ITMES:**

**Autoclavable & Degradable Blue Bags:**

Should be with double seam and able to withstand 25kg weight without tearing or giving away for 36"x32" and 40"x33"sizes.

Should be with double seam and able to withstand 20KG weight for 20"x20" size without tearing or giving away.

Should be leak proof at maximum weight for wet waste.

Should have uniform density and without tears, holes or weak areas. Should withstand temperatures of 135 degree centigrade at pressure of 30 psi for an hour.

Should be made up of virgin (non-recycled) plastic, which should be clear. Material composition should be indicated with the supplies & sample.


The minimum number of bags per kg for the size 40"x33" should be 12 per kg.

The number-of bags per kg. for size 20"x20" should be 41 per kg.

INSCRIPTION: Should be Printed in non washable material inscribed in red colour separately for Main Hospital and each of the Centres both in English and Hindi as below for regular supplies:

- > "Biohazard" & Bio hazard symbol.
- > "For Hospital use only.
- > Danger
- > Hospital CRHSP, Ballabgarh, (AIIMS) Supply not for sale.

On each bag the name of manufacturer, the month and year of manufacture and the batch/lot number must be printed (Including in the sample)

  
PROFESSOR-IN-CHARGE,  
CRHS PROJECT, BALLAGARH

The Firm should submit the following:-

1. Price Reasonable Certificate
2. An undertaking on the official letterhead of the company that the firm has not been black listed.
3. An undertaking on the official letterhead of the company that the firm has not vigilance cast pending against them.