

CENTRE FOR COMMUNITY MEDICINE
ALL INDIA INSTITUTE OF MEDICAL SCIENCES
NEW DELHI-110 029

Short Rate Enquiry **02/CCM/2015-16**

Dated: **23rd September, 2015**

Subject: **Short Rate Enquiry for Urinary Iodine Sealing Cassette.**

.....

A Short Rate Enquiry has been invited for Purchase of Urinary Iodine Sealing Cassette. The specification of the same is as under:-

<u>Name of the Item & Specification</u>	<u>Qty.</u>
<u>URINARY IODINE SEALING CASSETTE.</u> *Sealing Cassette should be Teflon (fluorinated ethylene propylene)- Laminated Silicon Rubber Gasket and a handle to seal the wells of a microplate. *Rubber Gasket able to withstand 120 degree C Temp. at least 90 minutes. *Cassette should be able to hold and seal a standard 96 well ELISA reader plate. *Cassette should be leak Proof with Teflon sealers. *Cassette should be made of S.S.(minimum 316 Grade) *Warranty: Minimum 2 years	1 No.

1. The quotation should be duly sealed envelope and addressed to '**Professor & Head, Centre for Community Medicine, AIIMS, New Delhi-110 029** and sent by post/courier by **10th October, 2015 up to 5.00 P.M.**
2. The firm must be registered and having TIN no./registration no. (Please mentioned/TIN/registration no. on the bid) or else the quotation will be treated as cancelled.
3. **The rates should be valid for at least three months.**
4. VAT/Sales Tax or any other kind of tax(s) must be mentioned separately as applicable on the item. In case no sales tax is chargeable, prices must be quoted as NET PRICE.
5. The firm should be competent to supply the item at the mentioned place/location within 45 working days after issuing the Supply Order.
6. The payment will be made electronically viz. RTGS/NEFT after delivery and inspection of the item.
7. The Professor & Head, Centre for Community, has reserves the right to cancel/reject full or any part of the rate enquiry which generally do not fulfill the conditions stipulated in the rate enquiry.

(Dr. Sanjay K. Rai)
Prof. & Officer- in-charge (Stores)

Computer Facility: for uploading the same in AIIMS Website.