

**DEPARTMENT OF CTRF**  
**ALL INDIA INSTITUTE OF MEDICAL SCIENCES**  
**ANSARI NAGAR, NEW DELHI-110029**

**References: Short Rate Enquiry No: 3, I-867**

**Subject: Short Rate Enquiry for antistatic antibacterial vinyl flooring\_under CTRF, JPNATC, AIIMS, New Delhi.**

A Short rate enquiry is hereby floated/invited **for antistatic antibacterial vinyl flooring\_in CTRF, JPNATC, AIIMS, New Delhi.**

Kindly supply the rate **for antistatic antibacterial vinyl flooring\_per sq ft.** with full terms and conditions.

**Specification:**

Providing and fixing of 2mm thick PVC flexible homogeneous compacted anti-static floor covering of size 2mtrs x 20 mtrs. having **total weight 3250g/m<sup>2</sup>.**

It should features a stylish **non-directional design**, with a duotone chip decoration and three non-tonal highlight chips, incorporated with specially formulated **PUR** features a high quality, cross-linked **polyurethane reinforcement**, UV cured to provide a low cost, polish-free maintenance regime for the lifetime of the flooring and its surface should densely compacted for improving wear and ease of maintenance.

It should have **anti-bacterial and fungicidal properties** and complies with the EN 685 (34-43), making it suitable for very heavy commercial and heavy-light industrial use .It also should confirm to class Bfl-s1 in flammability test as per EN13501-1.

It should have slip resistance of R9 as per EN 13893 Class DS and very low VOC emission.

It should pas all the most stringent international VOC emissions tests, including AgBB, Floor Score and Indoor Air Comfort Gold from Eurofins. Along with positive VOC test results, there should be no evidence to suggest that it contributes to common allergies such as dust allergies or asthma and because of its superior Clean ability it should be used in the strictest of hygiene zones throughout in hospitals, labs etc .

It also should be non-Shedding and having Clean room approval certification for the same.

It should demonstrate from independent tests that it inhibits the growth of **MRSA** on the floor to prevent any kind of infection.

It should achieved a BRE Global Environmental A + Rating and a Green Tag LCA Rate certified with GreenRate level A- Gold Plus. From Independently assessed by the BBA (British Board of Agreement), it should be awarded a 10 year product performance assurance in the recommended use areas.

The floor finish should terminate at the room perimeter passing over a concealed cove former and continuing up the wall for 100mm. The joints in the flooring should be sealed by using a PVC welding bar of matching colour to be supplied by the manufacturer, using a hot air gun for fusion of welding bar with flooring.

The sub-floor should be dry, hard and smooth. The vinyl sheet shall be laid & fixed with water based adhesive preferably AROBOND-44 of M/s. Arofine make or VC 31 of M/s Pidilite Ind. or any other make as per manufacturer's specification as per direction and the entire satisfaction of Engineer-in-charge complete.

The quotation should be addressed to Dr. Sumit Sinha, Room No:1, basement, CTRF, JPNATC, AIIMS , Raj Nagar, AIIMS, New Delhi-110029 and reach on or before **15<sup>th</sup> May 2015 Friday at 12:00p.m.**

**Last Date of submitting of quotation : 15<sup>th</sup> May 2015 Friday at 12:00 p.m**

**Date of Opening of quotation : 15<sup>th</sup> May 2015 Friday at 2:00 p.m.**

**TERMS AND CONDITIONS:**

1. The total/ combined prices of all the items will be considered as the final price quote for price comparison purposes.
2. The make/model of the article offered should invariably be quoted. Quotation should be typed/ written in ink. No overwriting or erased entries should be there in the quotation. The rate should be valid at least One Month from the date of opening of quotations.
3. VAT/ Sales tax or any other kind of tax(s) must be mentioned separately as applicable on the item. In case no sales tax is chargeable, prices must be quoted as NET price.
4. The under signed reserves the right to call the firm for physical demonstration of item to verify the quality of the offered item. The firm must have to demonstrate the product within 2 days of requisition, failing which the bid will be rejected.
5. The firm should be competent to supply the item at the mentioned place/ location within seven days after issuing the Supply Order
6. The payment will be made electronically viz RTGS/NEFT after delivery of the item as per rules of the AIIMS Research Section in the name of the firm only. The following information should be also mentioned in the invoice:
  - a) Name of the beneficiary:
  - b)Type of Account :
  - c)Account No. of the beneficiary:
  - d)IFSC code of the bank/ branch:
7. At any time, any part of the rate enquiry which generally does not fulfill the conditions stipulated in the rate enquiry can be cancelled/ rejected.